



File Name: bose ls 50 manual.pdf
Size: 2846 KB
Type: PDF, ePub, eBook
Category: Book
Uploaded: 26 May 2019, 22:33 PM
Rating: 4.6/5 from 697 votes.

Status: AVAILABLE

Last checked: 8 Minutes ago!

In order to read or download bose ls 50 manual ebook, you need to create a FREE account.

[**Download Now!**](#)

eBook includes PDF, ePub and Kindle version

[Register a free 1 month Trial Account.](#)

[Download as many books as you like \(Personal use\)](#)

[Cancel the membership at any time if not satisfied.](#)

[Join Over 80000 Happy Readers](#)

Book Descriptions:

We have made it easy for you to find a PDF Ebooks without any digging. And by having access to our ebooks online or by storing it on your computer, you have convenient answers with bose ls 50 manual . To get started finding bose ls 50 manual , you are right to find our website which has a comprehensive collection of manuals listed.

Our library is the biggest of these that have literally hundreds of thousands of different products represented.



Book Descriptions:

bose ls 50 manual

Learn more or change settings here. Just type your request below Quick tip Try searching for just one or two words e.g., connection help. Use proper power sources Plug the product into a proper power source, as described in the operating Example of antenna grounding as per National Electrical instructions or as marked on the product. Years of research lie behind this complete audio home entertainment system the most advanced home theater system from Bose. Save all packing materials for possible future use. If any part of the product appears damaged, do not attempt to use the system. The center speaker cable allows up to 20 feet 6.1 m from the Acoustimass module. CD changer Select a convenient location for the CD changer. Figure Ridge. Most audio cables are color coded. Match red connectors to right R jacks and black or white connectors to left L jacks. A second option is to use a stereo TV as the switching center to select the sound source. Untie and straighten the bundled wires on each antenna. Antennas provide better reception when their wires are fully extended. Then plug in the multiroom interface power pack. Note Your speakers will not operate unless you complete all cable and power connections before turning on the system. CAUTION Be sure the three shipping screws on the bottom of the CD changer have been removed before turning on the system. The center is portable, communicating with the rest of the system through a twoway radiofrequency link. The display is backlit for easy viewing, and provides visual feedback of current system operations and available options. The display offers different combinations of buttons to provide control of the function you are using. Sometimes an item on the display will flash to provide information about a system function. When an item flashes faster, it is alerting you to a needed action. Menu items are available in the list if they are applicable to the current state of the system. [https://fsgt75.com/album/commview-manual\(1\).xml](https://fsgt75.com/album/commview-manual(1).xml)

- **bose lifestyle 50 service manual, bose lifestyle 50 manual, bose lifestyle 50 manual pdf, bose lifestyle 50 user manual, bose lifestyle 50 owners manual, bose ls 50 manual, bose ls 50 manual pdf, bose ls 50 manual download, bose ls 50 manual review, bose ls 50 manual free.**

You experience a surround sensation, providing extra enjoyment when you watch older, prestereo movies. Digital Dynamic Range compression is initially disengaged for all sound sources. Enhanced mode The mode is When you select To change this Press the FILM BASS button. VIDEO 1, VIDEO 2 Enhanced FILM BASS on Press the FILM BASS button. If you experience difficulty tuning to a weak AM station, you can force the AM tuner to use a narrow bandwidth filter to eliminate interference from other stations. To force the tuner to use a narrow bandwidth filter, press and hold the center of the station display until you hear a lowpitched beep. To set a preset station 1. Select the AM or FM source. 2. Press the MENU button once to access the PRESETS menu Figure 29. 3. Loading discs into the CD magazine To load the CD magazine, hold it as shown in Figure 31. Insert up to six discs, label side up. If the system is off, this turns it on at the same time. When you press CD, the CD changer display Figure 33 appears on the display. To access the CD OPTIONS, press the MENU button until CD OPTIONS is displayed Figure 35. You can do this while a CD plays if you wish. Figure 35 CD options display DONE. You can create or edit a CD play list even while listening to another source. However, you cant edit the play list while the list is playing. If the ITEM field indicates FULL, you cant insert a new item unless you delete one or more items from the list. 2. Select the ITEM number of the location where you want to insert a new CD selection. The ITEM number should not be flashing. Turn on your component directly or by using its remote control. Control all other functions at the source, referring to its owners manual if necessary. For example,

you can adjust the gain level of an external source so that volume level 50 on this source sounds as loud as level 50 from a builtin source. <http://www.roxracing.eu/userfiles/comnav-vector-g1-manual.xml>

You can change the behavior of these buttons so that they remain in the state you last set them on or off screen using the SOURCE button. 1. To adjust this time 1. Press and hold the SOURCE button until Lcd appears. 2. If you have questions or need extension cables to complete the connections, call Bose Customer Service at the numbers listed on the back inside cover of this owners guide. Each time you press the ROOM button you can transfer control from one room to the next in ABCD order. The room indicators on the display tell you what is currently selected. When you press the HOUSE button, an empty box indicator is displayed for each connected room. Any button pressed after that any source button, VOLUME, MUTE, or SLEEP affects every room. When you are done listening you can press OFF to turn off the entire system. The volume drops in any rooms that are on and any music center within range of the multiroom interface eventually begins beeping and flashing. For information on replacing the batteries see page 17. CAUTION Do not use any spray cleaners near the system. Do not use any solvents, chemicals, or cleaning solutions containing alcohol, ammonia, or abrasives. Details of the warranty are provided on the warranty card that came with your system. Please fill out the information section on the card and mail it to Bose. Or call Bose directly see inside back cover for phone numbers. October 17, 2001 AM18985405 V.pdf. CAUTION TO REDUCE THE RISK OF ELECTRIC SHOCK, These CAUTION marks may be located on the bottoms of your Lifestyle center, Acoustimass CAUTION To prevent electric shock, match wide blade of plug to wide slot, insert fully. Opening or removing covers may expose you to dangerous voltages or other hazards. Please call Bose to be referred to an authorized service center near you. 15. To prevent risk of fire or electric shock, avoid overloading wall outlets, extension cords, or integral convenience receptacles.

Realism and impact Your Lifestyle signal processing. Save all packing materials for possible future use. The original packing materials provide the safest way to transport your Lifestyle the product appears damaged, do not attempt to use the system. Notify Bose authorized Bose dealer immediately. Place them in the back half of your room. The surround cables allow up to 50 feet 15.2 m from the Acoustimass module. 1. Place the speakers at ear height or higher, if possible. Use a femaletofemale adapter "barrel" connector. Or, splice in 18gauge .75 mm wire, see your dealer or electronics store, or call Bose Figure 7 Ridge. See Figures 1 and 10. Dual voltage models include both the PS71 and PS72 power packs. CAUTION Be sure to use the correct Bose may damage your power pack or your system. Do not connect any speakers to the TV. SAP. They prevent proper surround sound processing through your Lifestyle Digital audio output. Do not connect any speakers to the TV. SAP. Experiment with the orientation of the loop for optimum AM reception. Note Your speakers will not operate unless you complete all cable and power connections before turning on the system. CAUTION Be sure the three shipping screws on the bottom of the CD changer have been removed before turning on the system. Press the FILM BASS button. Not applicable. You cannot select enhanced mode for CD, AM or FM. Select the channel spacing most appropriate for your area. The message CHANGING is displayed until play begins. When the list has 50 programmed items, the STORE button disappears. 6. When you have completed your play list, press DONE to exit. If you have questions or need extension cables to complete the connections, call Bose Customer Service at the numbers listed on the back inside cover of this owner's guide. Press the FM source button and adjust, or . Control that room as desired. Turn off the entire system. As batteries get weaker, the message flashes faster and display timeouts become shorter.

If liquids accidentally get into any system component, turn the system off and allow it to air dry. Then turn it on again. If you notice any problems with its functioning, turn it off and contact Bose Service. Note The music center establishes a link with the closest multiroom interface. Customer Service For

additional help in solving problems, contact Bose Customer Service. See the inside back cover for Bose Customer Service offices and phone numbers. Using the online preview, you can quickly view the contents and go to the page where you will find the solution to your problem with Bose Lifestyle 50. To start viewing the user manual Bose Lifestyle 50 on full screen, use the button Fullscreen. However, if you do not want to take up too much of your disk space, you can always download it in the future from ManualsBase. The option to print the manual has also been provided, and you can use it by clicking the link above Print the manual. You do not have to print the entire manual Bose Lifestyle 50 but the selected pages only. paper. If you want to quickly view the content of pages found on the following pages of the manual, you can use them. Servicing is required when the apparatus before using this product. Do not install external antennas Antenna lead in wire near Jewel Cube speakers FolNote Do not place the speaker on its side, as this diminishes performance by blocking the Jewel Cube ports. 1. Place the center speaker directly above or below the center of tNote The female RCA connector on the audio input caUse 115V for North America; 230V for Europe and Australia. In Europe, use the adapter plug provided. If you are in doubt, contact your Your home theater might also include other types of equipment such as cable TV, laserdisc players, CDI players, additional VCRs, and a satellite decoder. Note A second option is to use a stereo TV as the switching center to select the sound source.

In each example, the analog outputs from the DVD player or other digital device are connected to the AUX inputs. You may need extra long audio cables or exDo not connect it to the Lifestyle 50 system. Note There is no video signal input usually a yellow coded jack on the multiroom interface. The VIDEO INPUT jacks are for audio from a video source. Connecting other external Untie and straighten the bundled wires on each antenna. Antennas provide better reception when their wires are fully extended. Coaxial 75 AM antenna Figure 15 FM antenna jack jack The antenna connections FM antenna connections Figure 16 1. Plug the FM antenna connector into the FM ANTENNA jack on the back of the interface. The FM dipole antenna Note Your speakers will not operate unless you complete all cable and power connections before turning on the system. CAUTION Be sure the three shipping screws on the bottom of the CD changer have been removed before turning on the system. The display is backlit for easy viewing, and provides visual feedback of current system operations and available options. To allow for maximum battery life, the display and backlight turn o. Ask your question here. Provide a clear and comprehensive description of the issue and your question. The more detail you provide for your issue and question, the easier it will be for other Bose Lifestyle 50 owners to properly answer your question. Ask a question About the Bose Lifestyle 50 This manual comes under the category Home cinema sets and has been rated by 1 people with an average of a 9.4. This manual is available in the following languages English. Do you have a question about the Bose Lifestyle 50 or do you need help. Ask your question here Bose Lifestyle 50 specifications Brand An HDMI cable is used to transport audio and video signals between devices. Dust in hardto reach places is best removed with compressed air. This makes it possible to create a 5.1 effect with only 1 speaker. ManualSearcher.

com ensures that you will find the manual you are looking for in no time. Our database contains more than 1 million PDF manuals from more than 10,000 brands. Every day we add the latest manuals so that you will always find the product you are looking for. Its very simple just type the brand name and the type of product in the search bar and you can instantly view the manual of your choice online for free. ManualSearcher. com If you continue to use this site we will assume that you are happy with it. Read more Ok. Please do not offer the downloaded file for sell only use it for personal usage. Looking for other manual For this no need registration. May be help you to repair. You could suffer a fatal electrical shock. Instead, contact your nearest service center. Note! To open downloaded files you need acrobat reader or similar pdf reader program. In addition, Also some files are djvu so you need djvu viewer to open them. These free programs can be found on this page needed progs If you use opera you have to disable opera turbo function to download file. If you

cannot download this file, try it with CHROME or FIREFOX browser. Basszus vegfoka 23mp mulva megfut vagy pozitivba vagy negativba ha nincs a hangszoro rarakva, hangszoroval azonnal letilt, amikor a kimeneten eljut DC 4Vig a vedelem lekapcsolja relevel az erositot. Mikor a MUTE hibát kerestem, volt olyan eset is, hogy nem futott meg a kimenet es szolt a basszus rendesen, de ujboli bekapcsolaskor ha nem halkitottam le a potit akkor kikapcsolt a rele, ha lehalkitottam akkor jo lett, de nagyon susogott, arra hasonlitott mint amikor FM radio nincs az allomason, van egy kozos mute tranzisztor az kapcsolja az osszes tobbit, ha azt kiszedtem akkor is megmaradt a susogas, szerintem visszafele jott valamelyik oldalrol ezert szedtem ki mindegyik oldalrol a tranzisztorokat, nem akartam bajlodni vele, hogy honnet jon a susogas vissza. Mi lehet a gond Bose Sounddock 1 tapegyseg csati Sziasztok.

Egy barátom megkért, hogy találok vagy gyártok egy tapegyseget a Bose dokkolójához. Sajnos az eredetiket aranyban adják, így gyártanom kell egyet. Találtam is egy elegáns kis 4 pines csatit, de fennakadtam az eredeti csatlakozó labkiosztáson. Találtam egy rajzot de nem tudom eldönteni, hogy a kábelen levő abrazolja, vagy a dokkolóban levő. Ha valakinek dolga volt ilyennel, és tudna segíteni, kérem ne tartsa vissza magát. Köszönöm.. BOSE bekötési rajz Legyszi legyszi ha valaki tudnasegíteni egy BOSE AMP2440as erositó bekötésében, azt nagyon szépen megköszönöm. Ez AUDI A3asból van, a stecker nincs meg. Bose Lifestyle CD20 FLC kijelző halvány Sziasztok! A fenti készüléknek halvány a kijelzése. Eleg érdekesen van megoldva a kijelző tápfesz, sokban függ a bejövő 12VAC feszültségtől. Kérdésem az lenne, hogy a fűtést próbáljam emelni, vagy a 24Vot. A D8on a 30V is kevesebb, de az AC 4.5V is. Melyik befolyásolja jobban a fényerőt. A fűtés, vagy a negatív tápfesz Udv Jacint Similar manuals You can write in English language into the forum not only in Hungarian. Laundry tub. in a wet basement. near a swimming pool. or Wider than the other. Do not change Important Safety Instructions No 70 provides information with respect to proper Refer to the antenna Line Sum —To prevent damage to this product A. the power supply cord or the plug has been B. objects have fallen or liquid has spilled into the O. the product has been exposed to rain or water, or. B. the product does not appear to operate normally or E. the product has been dropped or the cabinet After any service or Be sure that any replacement parts used have the same Antenna grounding. Example of antenna grounding as per National Electrical. Lead In Wire. Antenna. Discharge Unit! WEC smm m an. Grounding. Conductors Electric. Service. Electrode System Note to CATV system installer. This reminder is provided to call the CATV system installers The Mount. remit now Motorola USA.

Information about products that Part 15 of the FCC Rules These models are designed to provide Installation If this equipment does cause harmful interference Owner's Guide Evaluation Owner's Guide The lightning flash With arrowhead symbol, within an equilateral triangle, is intended to alert The exclamation point within an equilateral triangle, as marked on the system, is intended to A CAUTION To prevent electric shock, match Wide blade of plug to Wide slot. Class 1 laser product. This compact disc player is classified as a CLASS 1 LASER product. The CLASS 1 LASER PRODUCT label is located on the barium Class B emissions limits. This Class B digital apparatus meets all requirements of the Canadian Interference Causing. Equipment Regulations. Batteries. Please dispose of used batteries properly, following any local regulations. Do not incinerate. Additional safety information. See the additional instructions on the Important Safety information page enclosed with this Please read this owner's guide. Please take the time to follow this owner's guide carefully. It will help you set up and operate Save your owner's guide for Lifestyle 50 system. Where to find. Setting Up. Before you begin. Unpacking the carton. Connecting your system. Connecting your home theater components to the Lifestyle system. Other connections. Connecting the antennas. Connecting power to your system. Setting up the personal music center. Operating Your Lifestyle 50 System. The personal music center display. Listening to the radio. Listening to compact discs. Listening to home theater sound. Using the system with external components. Operating a Multiroom System. Connecting additional rooms. Operating more than one room.

Cleaning the Lifestyle 50 system. Replacing batteries. Using the personal music center "find me" feature. Troubleshooting. Warranty period. Customer service. Product Introduction. Technical information. Accessories Bose Corporation. For your records.

Serial numbers are located on the bottom panels of the personal music center, multiroom Personal music center serial number. Multiroom interlaced serial number. CD changer serial number. Acoustirness module serial number. Dealer name. We suggest you keep your sales slip and warranty card together with this owners guide. Lifestyle 50 system. Years of research bring you this Technological innovations that make the Lifestyle 50 system unique The personal music center is a clear departure from convention it has no cables. Since the Bose Jewel Cube speakers are also far from the conventional. Proprietary Bose technologies The other elements of the Lifestyle 50 system are designed to be hidden from view DVD, digital TV, next generation cable boxes and satellite receivers. For all analog formats. as Your Lifestyle 50 system is. DVD, digital TV, and digital cable boxes and satellite receivers. VCRs, stereo TVs, cable boxes and satellite receivers. Videostage decoding directs stereo information to the surround channels, so the sound of Videostage decoding delivers live great sounding channels, even when the original These, and numerous other innovations, bring you the Lifestyle 50 system, offering superb Please take the time to follow this owners guide carefully. It will help you set up and operate. Save your owner's guide for Dolby Laboratories Licensing Corporation. Lifestyle 50 system. Unpacking the carton What comes with your. Lifestyle 50 system Carefully unpack your system. Save all packing materials for possible future use. The Note Find the serial numbers on the bottom panels of the personal music center, multi Then write them on your warranty WARNING The Acoustirness module weighs 33 pounds 15 kg. Use good lifting. WARNING To avoid danger of suffocation, keep the plastic bags out of the reach of Personal music center. Rubber feet 4. Acoustirness module. Rubber feet a" Figure 24. Selecting a station to store. Figure 25.

Alter storing a station as You can use the PRESETS MENU to set presets. PRESETS is only available in the MENU list Press the MENU button until PRESETS is displayed. If a number is flashing in the PRESET display indicating that this station has not been preset, Or, select a different station Select the station you want to preset. Then Using the PRESET MENU allows you to do additional preset management, making it easier Any station can be assigned to more than one preset number. Or, you can reserve different number groups for different types of stations. For easy reference Erasing a preset station. To erase a preset station. Select the frequency or preset number In addition, to erase a preset station In locations 1 through 9, you can use quickstore from Note When all 25 FM or 25 AM preset locations are filled, and you hold down the area Operating Your. Figure 26. Loading and ejecting a CD. Figure 27. Loading and unloading the CD Using the CD changer. You can load up to six compact discs at a time. Loading discs into the CD magazine. Hold the magazine, looking at the side with the arrow. Insert up to six discs, label side up Note the slot numbers 1 through 6, CAUTION Do not insert more than one also into any slot Forcing two discs into one slot CD changer. Note If a disc is upside down, it does not play The display shows the disc number. Ejecting discs from the CD magazine. Press the white lever that corresponds to the disc you want to eject. This ejects the disc far Loading the CD magazine into the CD changer. Open the CD changer door. Insert the CD magazine fully into the CD changer, following the Ejecting the CD magazine from the CD changer. Press the EJECT button, at the lower left of the magazine slot, to remove the magazine Eject button. Lifestyle 50 system 25. Operating Your Lifestyle. Figure 28. The CD display Turning the system on and choosing the CD player. Press the CD button to turn the system on and select the CD player. CD appears in the source display area.

It a CD The CD display provides information In three main areas, each with left and right arrow Pause a CD PAUSE II and II flashes. Pause changes to stop after 10 minutes. Unpause a CD PAUSE II, PLAY b, STOP I, CD, or OFF. Stop a CD STOP I. After pressing STOP I, the display briefly shows the total

time. Go to next track TRACK display right arrow button. Skipping to the next track wraps from the last track back to the rest of the current disc. You can skip tracks while paused. Go to beginning of current track TRACK display left arrow button. Go to previous track TRACK display left arrow button twice. In RANDOM mode, skips to previous track played. Skipping back from the rest track Play another disc DISC display left or right arrow button. In PLAY mode, selects the next or previous disc; in RANDOM mode, randomly selects Scanning up or down stops at the ends at the disc. You can scan a CD while paused. Note To prevent excessive wear on the CD mechanism, unattended CD play or random To leave music playing unattended for longer The personal music center display provides the following information about the CD changer Lifestyle 50 system. To prevent a track from playing, press the OMIT TRACK button. The track is skipped and is Including omitted tracks. Omitted tracks are indicated by OMITTED next to the right TRACK arrow. OMITTED to INCLUDED. Display showing an omitted Track 8 is Use to cancel. OMITTED to MUTED Display showing omitted track I DOmit track 8 Lifestyle 50 system 27. Using the CD OPTIONS MENU. Press the MENU button until CD OPTIONS is displayed. CD options screen while CD is up, EH 8 Wms a "a CD programming repeat options. Random and Repeat modes. Repeat modes allow you to play CDs for 24 hours or until you select STOP or OFF Press. DONE to accept your settings. By selecting CD LIST rest the following random and repeat options play your programmed. CD list the same way they play a disc." Note.

If you select random and repeat modes that cannot be combined REPEAT TRACK Opera ng Your Lifestyle" 50 System. CD Programming You can edit a CD In the CD OPTIONS MENU Figure 31, press EDIT CD LIST to begin creating your CD play. Lifestyle 50 System. Figure 32. Beginning CD programming Ready for rest To add The track and disc numbers Figure 33. CLEAR and CLEAR LIST Repeat selecting disc and track numbers The display offers dashes for the track Lifestyle 50 system 29. Opera 9 Your Lifestyle 50 System. Figure 34. Ready to play CD LIST The item number begins ashing PLAY list play. Press the CD LIST button to play your CD list. CD, it is skipped while the list plays. To erase the entire list, press the CLEAR LIST button in the CD OPTIONS MENU, and confirm Lifestyle 50 system. Listening to home theater sound Built-In Dolby Digital AC3 decoding delivers Dialogue remains locked on screen. Listening to digital sound. Turning the digital audio source on. Turn on the DVD player, digital TV. Be sure to load the DVD disc Turning the system on and choosing digital sound. Press AUX on the personal music center to turn your system on to play digital sound. Selecting listening material. To select material with compatible digital audio streams, look for the terms PCM or Dolby. Digital, or the symbols ml or. on DVD Video discs. Your Lifestyle" 50 system cannot. To select surround encoded analog or digital audio material, look for the terms Surround or. In a TV broadcast. You can listen to any program material in SURROUND 5 speaker mode, although you may Some monaural and stereo materials will Even with surround encoded Operating Your Lifestyle 50 System. Speaker Drivers and center and Figure 35. VIDEO 1 with FILM BASS Press the MENU button until SPEAKERS is displayed. The SPEAKERS MENU allows you to Selectly number a! speaker Adjusting center and surround levels. The center and surround adjustments are remembered for the room in which they were used. The levels are factory preset at zero.

Use the arrow buttons to adjust the levels. Using film bass for movie soundtracks. While using AUX, VIDEO 1, VIDEO 2, and TAPE, you can select film bass, an enhanced bass Press FILM BASS to turn You can turn it on for Operating Your Lifestyle" 50 System. Figure 37. The RECORD OUT MENU Follow the instructions on page 15 for connecting components. Turn on your component directly or by using its remote control. Use VOLUME A or V on your Note The Lifestyle 50 system cannot turn a connected component on or off. Turning the system on and selecting the component. Press VIDEO 1, VIDEO 2, AUX, or TAPE on your personal music center to select the desired The appropriate display indicator appears when the system is on and the component is Using a tape recorder with your system. To record on a connected tape deck, use the MENU button to select RECORD OUT. You can The signal of the selected source is directed to the. RECORD OUT lacks even if you are not listening to that source the recording. The selected source is displayed In place of the dashes. The

dashes reappear. If selected for RECORD OUT, the CD player shuts off after 24 hours. RECORD OUT is shown on the display when a source to which you are listening is also S mu mmw. Note If you do not use the RECORD OUT option from the MENU, the source playing is. In a multiroom system, the source in the lowest room. When you are ready, set the tape deck to record. Utsstylai syslsm 33. Finetuning your system. Figure 38. Bass and treble controls. If desired, you can further finetune your system as described here. Adjusting speaker controls. The Lifestyle 50 system TREBLE and BASS controls are located on the Acoustimass. You can also locate the normal setting by feeling when the control settles into the notch at. Compensating for room acoustics. The acoustics sound qualities of your room can affect the overall sound quality of any. Too much or too little treble.

Rooms with too few soundabsorbing furnishings, especially those with bare floors and walls, Rooms with a lot of soundabsorbing furnishings, such as upholstered furniture, wallto wall Moving speakers. You can increase treble sound by slightly. Too much or too little bass. You can decrease bass sound by turning down the bass control toward —. To increase bass. Acoustimass module placement affects the amount of bass you hear. Placing the module. Moving the module away from the corner. Compensating for movie soundtracks. When a movie soundtrack is played in a motion picture theater, its basis restored to the full. To perform the same way in your home, your. AUX, or TAPE modes, use the FILM BASS button to select between standard and lm Lifestyle so system. Operating Your Lifestyle 50 System. Adjusting signal levels. This setting allows you to adjust and equalize the signal level of source that are not built—in. Press the MENU button until SIGNAL LEVELS is displayed. You can watch it. After listening to the. Figure 39. Signal levels options while in. You can adjust the contrast on the touchscreen. Hold down the SOURCE button for ve. Press the lower arrows to select the contrast level. Figure 40. LCD contrast adjustment. Adjusting the personal music center beep. You can adjust the sound made by the touchscreen to acknowledge a button press. Hold. Use the upper. Use the arrow buttons to select between Lo, HI, Figure 41. Beep adjustment display. Connecting additional rooms. Follow the placement guidelines for the Bose powered speakers that you plan to connect. Then review your plan for how to connect these speakers to the multiroom interface in your. A CAUTION Make sure all components are unplugged from the power outlet before you. Connect the audio input cable from your additional powered speakers to the selected ROOM ROOM 8. c, or D on the back of the Interface. J” Note Be sure that each connector is inserted completely into each jack. ROOMjacks on the multiroom Room A, B, C. and D jacks. JN Note.